



TRIAX

connecting the future



TDS 80A RAL 7016, singlepack

Article number: 120508

Product description:

TRIAX TD Dishes The difference is clear

Manufactured and tested to the highest standards of precision and quality, TRIAX's easy-to-install dishes offer outstanding performance, durability and reliability.

TDS: Steel TDA: Aluminium

- Unrivaled build quality, whether Steel or Aluminium
 - Hot-dip galvanized steel OR long lasting Aluminium - for extra corrosion protection
 - TRIAX's unique cable protection system
 - Every part, every accessory is weatherproofed
 - 2 years corrosion warranty
 - 5 years functionality warranty
- Outstanding performance
 - High gain for an exceptional signal
- Quick and easy installation
 - One-click mounting system
 - Self-locking screw & nuts
- Logistic friendly
 - Single or Bulk packaging, according to customer needs

TRIAX is your reliable partner, with comprehensive service and support.

Specifications

ORDER INFORMATION	
EAN Number	5702661205088
CHARACTERISTICS	
F/D ratio	0,62
G/T LNB 0.7	17.3 dB/K
X-polarisation	≤ -27 dB
Offset angle	25.6 °
Elevation range	0...90 °
FREQUENCY	
Frequency range	10.7...12.75 GHz
GAIN	
Gain @ 10.70 GHz	38.5 dBi
Gain @ 11.7 GHz	36.5 dBi
Gain @ 12.75 GHz	37 dBi
MECHANICAL	
Main material	Galvanized steel (hot-dip)
Height (cm)	79 cm
Width (cm)	71 cm
LNB holder	40
Mast bracket diameter	32...60 mm
Reflector type	Offset
Beamwidth	2.6 °
Arm Colour	Raw
Colour	RAL 7016 - Anthracite grey
Packing QTY	1
Packaging Height	0,870 m
Packaging Width	0,832 m
Packaging Depth	0,100 m
Packaging Volume	0,072 m ³
Net Weight	4,210 kg
Tara Weight	1,390 kg

Total Weight	5,600 kg
--------------	----------
